

COUNTY OF LEMHI

**200 FULTON ST SUITE 204 / SALMON, IDAHO 83467 / (208) 756-6913 EXT. 263
CITY & COUNTY BUILDING DEPARTMENT & COUNTY PLANNING & ZONING**

INSTRUCTIONS

1. Please answer all of the questions on the attached application. Lack of information could delay approval.
 - Parcel Number
 - A plot plan
 - Building Plans (**Please see attached “check list” of required items on all construction plans**)
 - Lot, Block and Subdivision
 - Exterior window and door schedule, listing all sizes and U-value.
 - Stemwall & Footing drawing
 - Truss Plans, snow load
 - Header sizes above windows & doors
 - Floor truss or bci plan
 - Crawl space or slab on grade

2. Your plans will be reviewed by the Building Department for compliance with.
 - Conformance with all the adopted codes
 - Egress windows - indicated on plan
 - Smoke detectors - indicated on plan
 - Brace wall locations - indicated on plan
 - Stairs Plan
 - Handrails and intermediates
 - Wood stove locations
 - Energy Code - ResCheck , to do your self, www.energycodes.gov
 - Foundation vent locations - indicated on plan

3. County applications will not be accepted without a septic permit number. For septic permits, contact Steve Adams with Eastern Idaho Public Health. (756-2123). Exception: connection to central water and sewer.

4. A plot plan is required. This is necessary to determine whether all setback requirements from roads, property lines and other buildings have been met. If you are applying for a sign permit, show all existing signs and dimensions on a plot plan as well as the proposed signs.

5. Required fees are to be paid at the time that the application is issued.

6.Call for inspections at each of the stages of construction shown on the inspection sheet and before covering up anything that is required to be inspected or re-inspected. Calling for inspections is required, failure to call for inspections will result in a violation. 1st offense \$100.00, 2nd offense \$250.00, 3rd offense \$500.00, 4th offense misdemeanor.

Do not cover or go beyond the inspection point until it has been inspected and signed off. Please post attached inspection sheet at the building site.

Permanent power will not be connected until a temporary or COO has been issued.

RR106.1 Submittal documents. Construction documents, special inspection and structural observation programs, and other data shall be submitted in one or more sets with each application for a permit. The construction documents shall be prepared by a registered design professional where required by the statutes of the jurisdiction in which the project is to be constructed. Where special conditions exist, the building official is authorized to require additional construction documents to be prepared by a registered design professional.

EXCEPTION: The building official is authorized to waive the submission of construction documents and other data not required to be prepared by a registered design professional if it is found that the nature of the work applied for is such that reviewing of construction documents is not necessary to obtain compliance with this code.

§RR106.1.1 Information on construction documents. Construction documents shall be drawn up on suitable material. Electronic media documents are permitted to be submitted when approved by the building official. Construction documents shall be of sufficient clarity to indicate the location, nature and extent of the work proposed and show in detail that it will conform to the provisions of this code and relevant laws, ordinances, rules and regulations, as determined by the building official.

§RR106.1.2 Manufacturer's installation instructions. Manufacturer's installation instructions, as required by this code, shall be available on the job site at the time of inspection.. *i.e. trusses, wood stove inserts & other appliances, truss joists such as BCI's.*

§RR106.1.3 Information for construction in areas prone to flooding. For buildings and structures in whole or in part in flood hazard areas as established by Table RR301.2(1), construction documents shall include:

1. Delineation of flood hazard areas, floodway boundaries, and flood zones, and the design flood elevation, as appropriate;
2. The elevation of the proposed lowest floor, including basement; in areas of shallow flooding (AO zones), the height of the proposed lowest floor, including basement, above the highest adjacent grade; and
3. If design flood elevations are not included on the community's Flood Insurance Rate Map (FIRM), the building official and the applicant shall obtain and reasonably utilize any design flood elevation and floodway data available from other sources.

§RR106.2 Site plan. The construction documents submitted with the application for a permit shall be accompanied by a site plan showing the size and location of new construction and existing structures on the site and distances from lot lines. In the case of demolition, the site plan shall show construction to be demolished and the location and size of existing structures and construction that are to remain on the site or plot.

§RR106.3 Examination of documents. The building official shall examine or cause to be examined the accompanying construction documents and shall ascertain by such examinations whether the construction indicated and described is in accordance with the requirements of this code and other pertinent laws or ordinances.

§RR106.3.1 Approval of construction documents. When the building official issues a permit, the construction documents shall be approved in writing or by stamp which states "APPROVED PLANS PER IRC SECTION R106.3.1". One set of construction documents so reviewed shall be retained by the building official. The other set shall be returned to the applicant, shall be kept at the site of work and shall be open to inspection by the building official or his or her authorized representative.


§RR106.3.2 Previous approvals. This code shall not require changes in the construction documents, construction or designated occupancy of a structure for which a lawful permit has been heretofore issued or otherwise lawfully authorized, and the construction of which has been pursued in good faith within 180 days after the effective date of this code and has not been abandoned.

§RR106.3.3 Phased approval. The building official is authorized to issue a permit for the construction of foundations or any other part of a building or structure before the construction documents for the whole building or structure have been submitted, provided that adequate information and detailed statements have been filed complying with pertinent requirements of this code. The holder of such permit for the foundation or other parts of a building or structure shall proceed at the holder's own risk with the building operation and without assurance that a permit for the entire structure will be granted.

§RR106.4 Amended construction documents. Work shall be installed in accordance with the reviewed construction documents, and any changes made during construction that are not in compliance with the approved construction documents shall be resubmitted for approval as an amended set of construction documents.

208-756-6913 Ext 263

Lemhi County Building Permit Application



Permit # _____

Please Attach Appropriate Plans

Contractor Registration #

No Contractor Registration Provide
Signature: _____

Job Address:

RP#	Lot	Block	Subdivision:
------------	-----	-------	--------------

Owner Name: _____ Telephone: _____

Mailing Address: _____ City/State/Zip: _____

Contractor Name: _____ Telephone: _____

Mailing Address: _____ City/State/Zip: _____

Architect/Designer: _____ Telephone: _____

Mailing Address: _____ City/State/Zip: _____

Class of Work: <i>(put an x)</i>	New _____	Addition _____	Alteration _____	Repair _____	Move _____	Demolish _____	Sign _____
-------------------------------------	--------------	-------------------	---------------------	-----------------	---------------	-------------------	---------------

Describe Work: _____ Use Of Structure: _____

Square Feet: _____ Cost Per Square Foot: _____ Valuation: _____

Residential: _____	Commercial: _____	Stories: _____	Lot Size: _____	Number of Dwelling Units _____
-----------------------	----------------------	-------------------	--------------------	-----------------------------------

Before a building permit can be issued a valid sewage disposal permit is required by Idaho Code Title 39 Chapter 1 and Title 39 Chapter 36 and Lemhi County Ordinance No. 1987-1. If you have obtained a valid sewage permit, please provide us with the permit number and authorized signature. Please contact **Eastern Idaho Public Health** for this information. Phone # 756-2123

Sewer Permit # _____ New _____ Existing _____ Authorized Signature: _____

Comments: _____

Please continue to reverse side

Will This Project Be Heated ?	Yes _____	If heated mark which Insulation Requirement <i>Prescriptive or Performance</i>	Prescriptive Method _____	Heated buildings must conform with the ICC Energy Code	Performance Method: _____
	or No _____		Windows-Uvalue. 35 or less Ceiling - R49 ;Wall- R19 Floor - R30 ; Slab- R10 (4 feet) Basement wall - continuous R10 , framing R13	(Res-check) www.energycodes.gov	

Will this project have Plumbing?	No	Yes	Contact 208-332-7132
Will this project have Electricity	No	Yes	Contact 208-332-8970
Will this project have HVAC? (heating venting and cooling)	No	Yes	If yes please obtain a HVAC Permit at the Building Department
Is this project in the Flood Plain?	No	Yes	If yes, Elevation Certificate is required
Is this project in the Wetlands?	No	Yes	If yes, Delineation from the U.S Army Corps is required 1-208-522-1645

If any of the construction above involves a home occupation, a plan of operation must be submitted

On November 11, 2008, the Board of County Commissioners determined that an inconsistency existed regarding snow load requirements at Leadore and Grant, Montana. Because of a wide variation between these two very similar areas, the board felt that re-examination of these requirements is in order. Pending resolution of this conflict, the board resolved that a maximum snow load requirement of 40lbs per square foot be instituted throughout the county. However, the board feels that your own expertise can be used to recommend a higher load in some areas of the county.

This signature acknowledges that all information on this application and the attached plans are true and correct, and that the activity permitted will be conducted in full compliance with all ordinances of Lemhi County, and state and federal law; and that activity conducted will be in full compliance with any and all conditions imposed on this permit's approval or the approval of previous permits (special use permits, variances etc.) required. I have received the attached instruction sheet requiring plot plan, setbacks, inspections required etc. This structure shall not be occupied until a temporary or Certificate of Occupancy has been issued.

This permit expires in 180 days if the activity authorized is not commenced or if the activity is commenced but abandoned for 180 days at a time before its completion.

_____ _____
Applicants Signature **Date**

Zoning District	Complies <input type="checkbox"/> Does Not Comply <input type="checkbox"/>	Fee:	Type of Construction:
------------------------	--	------	-----------------------

Occupancy Group:	Conditions:	Additional sheet may be attached
-------------------------	-------------	----------------------------------

Permit Approved By:	Date:
----------------------------	-------

“Check List” of Items Required on All Construction Plans:

Plans need to be drawn to a recognized scale and of sufficient clarity to read (1/4” per ft. preferred)

Floor plans for each level which indicates:

- The use of each room
- All window and door sizes, types and u-values. Indicate all required emergency egress openings
- Indicate the locations of all required smoke detectors
- All Header sizes and materials
- Indicate required safety glazing at all hazardous locations in accordance with R308.4
- Location, type, and fuel source of all fuel burning appliances
- Indicate the location and CFM of all required mechanical ventilation
- Note the square footage (measured to the outside) of each floor
- All required fire separation detailed on the plan

Elevation view of all sides of structure:

- Accurately indicate the adjacent grade and slope in all directions from the structure.

Foundation Plan and Detail (Include Decks)

- All footing, stem wall, pier sizes, and retaining walls
- Size and placement of all reinforcement
- Depth of footing below grade for frost burial
- Type and location of all anchorage hardware.
- Method and amount of crawl space ventilation
- Crawl space access location and opening size.

Floor framing plan for each floor:

- Floor joist size, spacing, species, grade, or manufacturer and series if engineered wood.
- All beam sizes on the plan (include design calculations)
- Layout of submitted floor trusses must match plan layout
- Deck framing including ledger attachment
- Methods of support

Roof framing plan:

- Rafter size, spacing, species, grade, or manufacturer and series of engineered wood
- Truss layout diagram and specification details for each truss
- All beam sizes on the plan (include design calculations)
- Layout of submitted roof trusses **MUST** match plan layout
- Complete details of over-framing support and connections
- Methods of support
- All methods of uplift restraint

Building bracing plan which indicates: (Any approved method is allowed for each braced wall line)

- Methods and locations of all wall bracing: braced wall panels, alternate panel or narrow portal, continuously sheathed or engineered shear design. **INCLUDE** required interior braced wall lines
- All hold-down locations

Building cross sections which clearly shows all levels of the structure. (One or may section may be required for clarity)

- Identify all construction materials
- Complete stair details
- Slope of adjacent grade and clearance to framing and siding

RESCHECK energy compliance certificate or a Prescriptive Compliance Plan with area calculations. All requirements of energy compliance design must be contained with the plans.

**POST THIS CARD AT OR NEAR FRONT OF BUILDING
CITY & COUNTY BUILDING DEPARTMENT
INSPECTION RECORD**

Owner _____ Building Permit No. _____

Type _____ Occupancy _____ Date Issued _____

PLEASE KEEP IN A SAFE PLACE - THIS IS FOR YOUR RECORDS
REMEMBER: NO WORK IS TO BE COVERED OR GO BEYOND THE POINT OF INSPECTION UNTIL IT IS INSPECTED.

INSPECTION	DATE	INSPECTOR
Footing, Foundation, & Slab Floor Inspections		
1. FOOTINGS: Before Concrete is poured - Setbacks, Trenches, Footings -Reinforcing <u>Order concrete at your own risk! Inspections must be done and passed before pouring</u>		
2. STEMWALLS: Before Concrete is poured Foundation Walls - Reinforcing. <u>Order concrete at your own risk! Inspections must be done and passed before pouring</u>		
3. FLOOR: Before Concrete is poured and after Under Floor Services have been signed off. <u>Order concrete at your own risk! Inspections must be done and passed before pouring</u>		
Frame Inspection		
4. After the Floor, Walls, Trusses, Sub-Sheeting, Weather Proofing, Windows, Doors, Rough Wiring, Rough Plumbing, & Fire Resistance are in place, and the Electrical & Plumbing has been signed off.		
Insulation Inspection		
5. After all penetrations have been sealed and the Insulation has been installed. (Refer to Res-Check)		
Sheet Rock		
6. After the Sheet Rock is hung, but before it's taped.		
Final		
7. Completed Building		

REMEMBER: NO WORK IS TO BE COVERED OR GO BEYOND THE POINT OF INSPECTION UNTIL IT IS APPROVED. Re-inspections will be billed at the rate of \$47.00 per inspection. If the inspection takes more than one hour to complete, you will be billed at the rate of \$47.00 per hour. Please remember to obtain a certificate of occupancy. **Failure to call for inspections will result in a violation. 1st offense \$100.00, 2nd offense \$250.00, 3rd offense \$500.00, 4th offense misdemeanor.**